

Dried Silica Gravel



Our dried gravels are silica quartz, and processed to ensure uniformity in grain size. All dried gravels are washed, dried and screened. All products are tested multiple times a week for quality and consistency. Dried gravel has many applications including industrial, epoxy extender, landscaping and water filtration. R.W. Sidley, Inc. offers a range of dried gravel sizes to suit your project requirements, with many packaging options.

- . 3/16 X 3/32
- . 1/R X 1/16
- . 1/4 X 1/R
- . 3/8 X 3/16
- . 1/2 X 1/4

Available packaging: Bulk, 50 lb. bags, 3,000 lb. super sacks and 4,000 lb. super sacks. Delivery available.

Physical & Chemical Analysis

- Mineral: Silica Quartz
- Moh's Hardness: 7
- Specific Gravity: >2.5
- pH: 6.4
- Acid Solubility: 0.3%
- Loss on Ignition: 0.14%
- Meets AWWA B-100 standards for granular filter media
- NSF-61 requirements for drinking water

Chemical Analysis

Tests	Results	Methods
Si02	99.30%	By Difference after impunities scan
TaO	<0.10%	DC ARC
Fe203	0.38%	ICP
Na20	0.005%	DC ARC

Testing: Results are typical for the product.

Who We Are

With almost 90 years in business, R.W. Sidley, Inc. operates a state of the art processing plant that produces the highest quality quartz sands of the highest purity free from deleterious materials. All Dried Gravels are washed, dried and screened at our Thompson, OH plant.

Contact Us

R.W. Sidley, Inc. 7123 Madison Road Thompson, OH 44086 800.536.9343 www.rwsidley.com