




Material Safety Data Sheet

This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200

	E	HCS CLASS: Corrosive liquid.
WHMIS (Pictograms)	WHMIS (Classification)	HCS

Section 1. Chemical Product and Company Identification

Product Name/ Trade name	Geraldine	Code	104
Synonym	Floor Wax & Finish Stripper/Cleaner	CAS #	Mixture.
Chemical Family	Not available.	Validation Date	3/2/2007
Chemical Formula	Not applicable.	Print Date	3/23/2007
Manufacturer/ Supplier	Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607 (419) 241-2156	In Case of Emergency	Chemtrec (800) 424-9300
TSCA	TSCA Inventory: All components listed or are exempt from listing.		
DSL/ NDSL	All components listed unless noted elsewhere on this MSDS		
		Protective Clothing 	

Section 2. Composition and Information on Ingredients

Name	CAS #	% by Weight	Exposure Limits	LC ₅₀ /LD ₅₀
Sodium Metasilicate	6834-92-0	5 - 10	Not available.	Not available.
2-Butoxyethanol	111-76-2	0 - 5	ACGIH (United States). TWA: 20 ppm OSHA (United States). TWA: 50 ppm	ORAL (LD50): Acute: 1746 mg/kg [Rat].
Monoethanolamine	141-43-5	0 - 5	TWA: 3 ppm OSHA (United States). TWA: 6 ppm STEL: 6 ppm	Not available.
Sodium Hydroxide	1310-73-2	0 - 5	OSHA (United States). TWA: 2 mg/m ³	Not available.
Sodium Xylene Sulfonate	1300-72-7	0 - 5	Not available.	ORAL (LD50): Acute: 650 mg/kg [Rat]. 5939 mg/kg [Mouse].
Sodium Tallate	61790-45-2	0 - 5	Not available.	Not available.
Anionic Surfactant	25155-30-0	0 - 5	Not available.	Not available.
Tetrasodium salt of ethylenediaminetetraacetic acid	64-02-8	0 - 5	Not available.	ORAL (LD50): Acute: 3030 mg/kg [Rat].
Perfume Oil	100-52-7	0 - 5	Not available.	Not available.
Dye	N/A	0 - 5	Not available.	Not available.

Section 3. Hazards Identification

Potential Acute Health Effects	Corrosive to eyes and skin. Eye contact can result in corneal damage or blindness.
Potential Chronic Health Effects	Prolonged exposure may result in skin burns and ulcerations. Repeated or prolonged exposure to the substance can produce lung damage.
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

Section 4. First Aid Measures

Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.
Skin Contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Ingestion	If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5. Fire Fighting Measures

Products of Combustion	Not available.
Fire Fighting Media and Instructions	N/A
Special Remarks on Fire Hazards	N/A
Special Remarks on Explosion Hazards	N/A


Section 6. Accidental Release Measures

Small Spill and Leak	Chemical anti-splash goggles.
Large Spill and Leak	Corrosive liquid. Avoid to runoff to sewers and waterways. Wear Protective Clothing. Absorb with inert Material. Contact you local Emergency planning commission for further instructions.
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Section 7. Handling and Storage

Precautions	Avoid contact with skin and eyes. Avoid breathing vapors or spray mists.
Incompatibility	acids
Storage	Keep only in the original container. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. For Institutional and Commercial Use

Section 8. Exposure Controls/Personal Protection

Engineering Controls	Good general ventilation should be sufficient to control airborne levels.
Personal Protection	
<i>Eyes</i>	Splash goggles.
<i>Body</i>	Boots. Disposable outer garments, or impervious garments of equal or greater protection.
<i>Respiratory</i>	Wear appropriate respirator when ventilation is inadequate.
<i>Hands</i>	Use chemical resistant, impervious gloves.
Protective Clothing (Pictograms)	

Exposure Limits**2-Butoxyethanol**

TWA: 25 (ppm)

TWA: 50 (ppm) from OSHA (PEL)

Sodium HydroxideTWA: 2 (mg/m³) from OSHA (PEL)**Monoethanolamine**

TWA: 3 (ppm)

TWA: 6 (ppm) from OSHA (PEL)

STEL: 6 (ppm)

Consult local authorities for acceptable exposure limits.

Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid	Odor	Characteristic.
Molecular Weight	Not applicable.	Taste	Not available.
pH	13 to 13.9 [Basic.]	Color	Grayish white.
Boiling/Condensation Point	100°C (212°F)		
Melting/Freezing Point	Not available.		
Critical Temperature	Not available.		
Instability Temperature	Not available.		
Specific Gravity	1.07 (Water = 1)		
Vapor Pressure	20mm Hg @ 68°F		
Vapor Density	>1 (Air = 1)		
Volatility	80		
VOC	Not available.		
Evaporation Rate	<1		
Dispersion Properties	See solubility in water.		
Solubility	not available		
The Product is:	Non-flammable.		
Auto-ignition Temperature	Not available.		
Flash Points	Not available.		
Flammable Limits			
Fire Hazards in Presence of Various Substances	Not available.		
Explosion Hazards in Presence of Various Substances	Not applicable		

Section 10. Stability and Reactivity Data

Stability The product is stable.

Incompatibility with Various Substances acids

Hazardous Decomposition Products not available

Section 11. Toxicological Information

Routes of Entry Absorbed through skin. Eye contact. Inhalation. Ingestion.

Toxicity to Animals **WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE.**

Acute oral toxicity (LD50): 140 mg/kg [Rat]. (Sodium Hydroxide).

Acute toxicity of the gas (LC50): 926 ppm 4 hour(s) [Mouse]. (2-Butoxyethanol).

Acute Effects on Humans

Eyes Very hazardous in case of eye contact (corrosive). Eye contact can result in corneal damage or blindness.

Skin Very hazardous in case of skin contact (corrosive). Skin contact may produce burns.

Inhalation Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract.

Ingestion Very hazardous in case of ingestion. May be fatal if swallowed. May cause burns to mouth, throat, and stomach. May cause headache, dizziness, nausea, vomiting and diarrhea.

Chronic Effects on Humans Prolonged exposure may result in skin burns and ulcerations. Repeated or prolonged exposure to the substance can produce lung damage.

Special Remarks on Toxicity to Animals No additional remark.

Special Remarks on Chronic Effects on Humans No additional remark.

Section 12. Ecological Information

Ecotoxicity Not available.

BOD5 and COD Not available.

Products of Biodegradation Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation as toxic as the original product.

Special Remarks on the Products of Biodegradation No additional remark.

Section 13. Disposal Considerations

Waste Information Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Waste Stream Not available.

Section 14. Transport Information

**DOT (U.S.A)
(Pictograms)**



TDG Classification 8



PIN UN, Proper Shipping Name, PG Shipping name: Corrosive liquids n.o.s. UNNA: 1760 PG: II

Maritime Transportation Not available.

Special Provisions for Transport Not available.

Section 15. Other Regulatory Information and Pictograms

WHMIS (Classification) E



Regulatory Lists No products were found.

Other Regulations OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).


Other Classifications

HCS (U.S.A.)	HCS CLASS: Corrosive liquid.
USA Regulatory Lists	SARA 311/312 MSDS distribution - chemical inventory - hazard identification: 2-Butoxyethanol: immediate health hazard, delayed health hazard; Sodium Hydroxide: immediate health hazard SARA 313 toxic chemical notification and release reporting: 2-Butoxyethanol
DSD (EEC)	This product is not classified according to the EU regulations.
International Regulations Lists	No products were found.

Hazardous Material Information System (U.S.A.)

Health	*	3
Flammability		0
Physical Hazard		0

National Fire Protection Association (U.S.A.)



The Hazard Ranking systems presented on this MSDS provide only a quick reference for hazard information. The ENTIRE MSDS must be consulted to determine any specific hazards, First Aid measures, and PPE associated with this product.

Section 16. Other Information

Validated by CRushton on 3/2/2007.

Verified by CRushton.
Printed 3/23/2007.

Information Contact Betco Corporation
1001 Brown Avenue
Toledo, Ohio 43607

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Validated on 3/2/2007.

Geraldine

Page: 6/6

Continued on Next Page