

1440 E. 39th Street, Cleveland, Ohio 44114 ph: (216) 391 9900; fax: (216) 391 9933 E-Mail: <u>info@asi-alloys</u>.com; <u>asi-alloys@msn.com</u>, Web Site: www.asi-alloys.com

Material Safety Data Sheet (29 CFR Part 1910.1200 - Hazard Communication)

SECTION 1 - IDENTIFI	CATION				
Material/Product: REDUX	MSDS Rev. No.: 1				
Manufacturer/Distributor: ASI International, Ltd			Date Prepared: January 29, 2011		
Address:					
Cleveland, Ohio 44114			During Normal Business Hours		
			Telephone: (216) 391 9900		
			Outside Normal Business Hours		
			Tele	phone: CHEMTRE	EC (800) 424-9300
SECTION 2 - HAZARDO	OUS COMPONENTS			-	
	G + G • I	a ()	OSHA PEL	ACGIH TLV	<u>Other</u>
Hazardous Component	CAS No.	<u>%'s</u>	<u>(mg/M3)</u>	<u>(mg/M3)</u>	Limits
Na ₂ O	497-19-8	less than 30	15 (total)	10	N/A
Al_2O_3	1344-28-1	less than 30	10	10	N/A
SiO_2	14808-60-7	less than 10	10	.05	N/A
CaO	1305-78-8	less than 10	10	10	N/A
MgO	1309-48-4	less than 8	10	10	N/A
CO_2	124-38-9	less than 25	10	10	N/A
			N/A – Not Avail	able, Not Known	
SECTION 3 - PHYSICAL	L/CHEMICAL CHA	RACTERISTICS			
Boiling Pt: N/A			Bulk Density: 1.8 g/cc		
Vapor Pressure: N/A			Evaporation Rate: N/A		
Vapor Density: N/A			Soulubility in	Water: Appreciat	ole
Appearance and Odor: W	hitish–Gray brick. No	o odor.			
SECTION 4 - FIRE AND	EXPLOSION DATA	۱			
Flash Point: None			Flammable Limits: Lel: N/A Uel: N/A		
Extinguishing Media: Will not burn.			Special Firefighting Procedures: N/A		
Unusual Fire & Explosion Hazards: N/A					
SECTION 5 - REACTIV	ITY DATA				
Stability: Stable					
Incompatibility: Acids (will liberate carbon dioxide)					
Hazardous Polymerization: Will not occur.					
Hazardous Decomposition Products: Carbon dioxide					
-					
SECTION 6 - HEALTH			T-) T		
Health Hazards: Acute - P moderately strong alkaline Health Hazards: Chronic -	solutions. Inhalation of None known.	especially in presence of dust may cause res	e of moisture m spiratory irritati		due to formation of
Toxicity Data: N/A Carcin Signs and Symptoms of Ex Medical Conditions Aggra	posure: Skin and resp	iratory irritation.			
Emergency and First Aid P Skin: Wash with water.			resh air.		
Eyes: Immediately flush w Ingestion: N/A	with water to remove pa	articulates.			
N/A = Not Applicable					

N/A = Not Known

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

Spills/Leaks: For broken pieces, sweep up or pickup with vacuum cleaner. Intact bricks return to container. Waste Disposal: Dispose of in accordance with local, state and federal regulations. Handling, Use and Storage: Store in dry area below 150'F.

SECTION 8 - CONTROL MEASURES

Respiratory Protection: If PEL/TLV is exceeded use NIOSH approved mask. Ventilation: Recommended sufficient to maintain below PEL/TLV. Gloves: Cloth Eye Protection: Safety glasses Other: N/A

N/A = Not ApplicableN/K = Not Known

Please ensure that all persons coming into contact with this product are aware of the information contained in this MSDS Sheet. Information presented herein has been compiled from sources considered to be reliable and accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. It is the user's responsibility to determine for himself the suitability of any material for a specific use and to adopt such safety precautions as may be necessary. If you need any further information from us to make the determinations that you must make to use this material safely, please contact the above named preparer.

SUPPLIER NOTIFICATION REDUX* CF 40

The above listed product contains no toxic chemical or chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372, based upon our knowledge of the raw materials comprising this product.

This notification is attached to the product Materials Safety Data Sheet (MSDS) and must not be detached from the MSDS. Any copying or redistribution of the MSDS shall include copying and redistribution of this notice attached to copies of the MSDS subsequently redistributed.

*Registered Trademark